OHYES! Report for Coshocton County - 2017-2018

Contents

Background	1
About the OHYES!	1
About this Report	2
A. Demographics	3
1. Community Environments	3 5
C. Health and Well-being 1 1. Body Mass Index and Physical Activity 1 2. Nutrition 1 3. Wellness Visit 2 4. Concussion 2 5. Tanning 2 6. Sleep 2	7 9 0 0
D. Mental Health 1. Patient Health Questionnaire for Psychological Distress	2
1. Alcohol	5 25 27 34 34 37
F. Gambling	8
or solitair House	10 10

Background

Nationally, trends in youth behaviors and risk and protective factors are measured using school-based surveys such as the Monitoring the Future Survey (MTF) and the Centers for Disease Control and Prevention's Youth Risk Behavior Survey (YRBS) and Youth Tobacco Survey (YTS). These surveys provide valuable national and state-level data; however, they do not provide county or school district-level data. Communities have needed access to local data to address community-specific needs and to conduct health assessments. Over the years, they have deployed a wide variety of local surveys in an attempt to address these needs, often investing substantial resources to have private survey companies collect the local data. Having many different survey instruments, means the results are then not always comparable across surveys nor over time, and counties and districts cannot usually benchmark results to state or regional samples. Consequently, communities across Ohio have repeatedly called for an inexpensive and valid survey of youth to guide local policy, program development and implementation efforts.

About the OHYES!

Purpose

The Ohio Healthy Youth Environments Survey (OHYES!) is a collaborative effort of the Ohio Departments of Education, Health and Mental Health and Addiction Services, Ohio National Guard and representatives from higher education, juvenile courts, foundations, and community service providers.

There are two main purposes with OHYES! First, the OHYES! addresses the need for data on local trends in youth behaviors and risk and protective factors. Second, it helps community-based organizations meet federal grant reporting requirements, including ones from: Strategic Prevention Framework Partnerships for Success, Drug Free Communities, Safe Schools and Healthy Students, Communities that Care Grants, and the Substance Abuse and Mental Health Services Administration (SAMHSA) Prevention and Treatment Block Grant National Outcome Measures (NOMs). Additionally, the OHYES! data may help communities when applying for local grants through foundations such as the United Way. It may also help communities meet the requirements for local health department needs assessments.

Instrument

The OHYES! survey questions cover the following topics: Demographics, Alcohol & Tobacco/Vapor Products, Marijuana & Other Drugs, Bullying, Safety & School Climate, Physical Health & Well-being, Mental Health & Gambling, Parental Attitudes of ATOD Use, Community, Family & Peer Factors, School Success. Schools have the option to use the full version of the survey, which includes 111 questions. In addition, school districts may choose to remove ten questions that could be sensitive to some communities (sexual behavior and suicide). This short-version is 101 items. Currently, the survey instrument is only available in English. More information about the survey and copies of the survey instrument can be found on the OHYES! website at ohyes.ohio.gov.

Survey Administration

The OHYES! is a voluntary, web-based survey that is available to schools free of charge. The survey is scheduled to be conducted every four years, but may be administered more frequently, if a community identifies a need. All students in Ohio schools in grades 7 through 12 (age 12 or older) are eligible to participate. Superintendents and principals are solicited to have their schools complete the survey; they select the grades and percentage of students in those grades to participate.

Confidentiality

Survey administrators are provided protocols to ensure the privacy and confidentiality of the survey participants. Since the OHYES! is a web-based application, no information is collected or stored on school servers, and individual identification numbers are not collected. The data from the web application is collected and stored on secured, encrypted, and password protected servers at OhioMHAS.

Consent

Prior to the survey administration, parents are notified and provided information about the survey. Then, they have three weeks to submit an Opt-Out Form to exclude their child from participating. At the beginning of the survey, participating students are asked for their agreement to answer the survey questions. Students have the option to skip a question and quit the survey at any time.

About this Report

Participants

The following school districts in Coshocton County participated in the OHYES! survey during the 2017-2018 school year: Non-public Schools, Coshocton County, Ridgewood Local, and River View Local.

Limitations

As a reminder, the OHYES! was designed to provide actionable local data for district superintendents and school principals based on a voluntary sample of surveyed youth. They OHYES! data were collected based on a descriptive, cross-sectional survey design, with a non-probability sampling method. The voluntary nature of the survey means that the OHYES! results are not generalizable to all Ohio youth. Further, county-level OHYES! results may not represent all students in a given county or school district. Any interpretations from the OHYES! data must keep these limitations in mind.

A. Demographics

OHYES! participants

Table 1: Districts Response Percent Coshocton County 161 20.33 Non-public Schools 17 2.15Ridgewood Local 332 41.92River View Local 282 35.61Total 792 100.00

Note that there are 0 responses with missing values of school year.

How old are you?

Table 2:	Age	
Response	n	Percent
12 years old	29	3.68
13 years old	226	28.72
14 years old	160	20.33
15 years old	81	10.29
16 years old	91	11.56
17 years old	110	13.98
18 years old or older	90	11.44
Total	787	100.00

Note that there are 5 responses with missing values of age.

What is your sex?

Table 3: Ger	ıder	
Response	n	Percent
Male	418	52.78
Female	364	45.96
Transgender	5	0.63
Gender Nonconforming	5	0.63
Total	792	100.00

Note that there are 0 responses with missing values of gender.

In what grade are you?

Table 4: School Grade

Response	n	Percent
7th grade	256	32.49
8th grade	156	19.80
9th grade	89	11.29
10th grade	72	9.14
11th grade	124	15.74
12th grade	90	11.42
Ungraded or other grade	1	0.13
Total	788	100.00

Note that there are 4 responses with missing values of grade.

Are you Hispanic or Latino?

Table 5: Hispanic Origin

Response	n	Percent
No	751	95.55
Yes	35	4.45
Total	786	100.00

Note that there are 6 responses with missing values of Hispanic origin.

How do you describe yourself?

Table 6: Race Ethnicity

Table 6. Itace Finincity		
Response	n	Percent
Black or African American (non-Hispanic)	23	2.93
White (non-Hispanic)	609	77.68
Hispanic/Latino	35	4.46
All other races (non-Hispanic)	53	6.76
Multiple races (non-Hispanic)	64	8.16
Total	784	100.00

Note that there are 8 responses with missing values of race ethnicity.

Among those who identified as Hispanic or Latino: How do you describe yourself?

Table 7: Race Ethnicity

Response	n	Percent
Hispanic - Black or African-American	1	2.86
Hispanic - No Race Specified	1	2.86
Hispanic - Other	15	42.86
Hispanic - White	18	51.43
Total	35	100.00

Note that there are 0 responses with missing values of race ethnicity.

Which of the following best describes you?

Table 8: Sexual Orientation

Response	n	Percent
Straight	0	
Gay	0	
Lesbian	0	
Bi-sexual	0	
Other	0	
Not sure	0	
Total	0	

Note that there are 792 responses with missing values of sexual orientation.

Is your father, mother or caretaker currently in the military (Army, Navy, Marines, Air Force, National Guard, or Reserves)?

Table 9: Parent in Military

Response	n	Percent
No	751	94.82
Yes	26	3.28
Don't know	15	1.89
_Total	792	100.00

Note that there are 0 responses with missing values of parent in military.

How many times have you ever moved to a new address?

Table 10: Number of times moved to new address

Response	n	Percent
0 times	212	26.87
1 time	160	20.28
2 times	91	11.53
3 times	89	11.28
4 or more times	237	30.04
Total	789	100.00

Note that there are 3 responses with missing values of number of times moved to new address.

B. Family, School, and Community Environment

1. Community Environments

There are a lot of adults in my neighborhood (town, community) I could talk to about something important.

Table 11: There are a lot of adults in the neighborhood (town, community) to talk to about something important

Response	n	Percent
No	366	51.4
Yes	346	48.6
Total	712	100.0

Note that there are 80 responses with missing values of adults in the neighborhood (town, community) to talk to about something important.

On how many of the past 7 days did you take part in organized after school, evening or weekend activities (other than sports teams) such as school clubs, community center groups, music/art/dancing lessons, drama, church or other supervised activities?

Table 12: Number of days participated in organized after school, evening or weekend activities in the last 7

Response	n	Percent
0 days	356	49.24
1 day	100	13.83
2 days	67	9.27
3 days	53	7.33
4 days	52	7.19
5 days	23	3.18
6 days	13	1.80
7 days	59	8.16
Total	723	100.00

Note that there are 69 responses with missing values of number of days participated in organized after school, evening or weekend activities in the last 7 days.

2. Family and Peer Factors

My parents talk to me about what I do in school.

Table 13: Level of agreement that parents talk to them about what they do in school

Response	n	Percent
Strongly disagree	66	9.13
Disagree	61	8.44
Neutral	186	25.73
Agree	255	35.27
Strongly agree	155	21.44
Total	723	100.00

Note that there are 69 responses with missing values of level of agreement that parents talk to them about what they do in school.

My parents push me to work hard at school.

Table 14: Level of agreement that parents push them to work harder at school

Response	n	Percent
Strongly disagree	26	3.61
Disagree	22	3.05
Neutral	125	17.34
Agree	248	34.40
Strongly agree	300	41.61
Total	721	100.00

Note that there are 71 responses with missing values of level of agreement that parents push them to work harder at school.

During the past 12 months, how often did your parents check on whether you had done your homework?

Table 15: Frequency that parents check homework

Response	n	Percent
Never or almost never	188	25.97
Sometimes	182	25.14
Often	158	21.82
All the time	196	27.07
Total	724	100.00

Note that there are 68 responses with missing values of frequency that parents check homework.

During the past 12 months, how often did your parents limit the amount of time you watched TV or time with your friends on school nights?

Table 16: Frequency parents limit the amount of time watching TV or with friends on school nights

Response	n	Percent
Never or almost never	375	52.08
Sometimes	189	26.25
Often	94	13.06
All the time	62	8.61
Total	720	100.00

Note that there are 72 responses with missing values of frequency parents limit the amount of time watching TV or with friends on school nights.

What best describes your parent's rules about social media in your bedroom (T.V., internet, cell phone, computer, video games, iPod, etc.)?

Table 17: Parents rules about media in bedroom

Tuber 11. 2 decire and decire and an obtained and the second		
Response	n	Percent
My parents don't have any rules	436	60.98
My parents have rules of when I have to turn off media in my bedroom	225	31.47
My parents don't let me have any media in my bedroom	54	7.55
Total	715	100.00

Note that there are 77 responses with missing values of Parents rules about media in bedroom .

3. Safety and Violence

I feel safe in my neighborhood (town, community).

Table 18: Feel safe in neighborhood

Response	n	Percent
No	93	11.83
Yes	693	88.17
Total	786	100.00

Note that there are 6 responses with missing values of feel safe in neighborhood.

Adverse Childhood Experiences (ACEs) are categorized into two groups on the OHYES! ACE module: abuse and family/household challenges. Each category is further divided into multiple subcategories. ACEs are associated with violence victimization and perpetration, and health and opportunity across the lifespan. As the number of ACEs increase, so does the risk for negative outcomes.

Adverse Childhood Experiences (ACEs) by category.

Table 19: Adverse Childhood Experiences (ACEs) by category

	No	Yes	Total	No (%)	Yes (%)
Abuse					
Physical Abuse	677	80	757	89.43	10.56
Emotional Abuse	524	233	757	69.22	30.77
Sexual Abuse	0	0	0	NaN	NaN
Household Challenges					
Intimate Partner Violence	658	99	757	86.92	13.07
Household Mental Illness	562	207	769	73.08	26.91
Household Substance Abuse	551	218	769	71.65	28.34
Parental Separation or Divorce	391	366	757	51.65	48.34
Incarcerated Household Members	613	156	769	79.71	20.28

Note that there are 6 responses with missing values of adverse childhood experiences.

Number of Adverse Childhood Experiences

Table 20: Number of Adverse Childhood Experiences

Response	\mathbf{n}	Percent
0	275	35.58
1	173	22.38
2	98	12.68
3	82	10.61
4 or more	145	18.76
Total	773	100.00

Note that there are 19 responses with missing values of number of adverse childhood experiences.

4. School Climate and Safety

In the past year, how often did you feel safe and secure at school?

Table 21: How often feel safe at school last year

Response	n	Percent
Never	23	2.92
Rarely	27	3.43
Sometimes	89	11.31
Most of the time	354	44.98
All of the time	294	37.36
Total	787	100.00

Note that there are 5 responses with missing values of how often students felt safe and secure at school.

During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

Table 22: Number of days did not go to school during the past 30 days because of feeling unsafe at school or on the way to or from school

Response	n	Percent
0 days	704	89.45
1 day	42	5.34
2 or 3 days	26	3.30
4 or 5 days	7	0.89
6 or more days	8	1.02
Total	787	100.00

Note that there are 5 responses with missing values of number of days students did not go to school during the past 30 days because of feeling unsafe at school or on the way to or from school.

During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

Table 23: Number of times threatened by someone with a weapon on school property last year

Response	n	Percent
0 times	691	89.74
1 time	34	4.42
2 or 3 times	28	3.64
4 or 5 times	5	0.65
6 or more times	12	1.56
Total	770	100.00

Note that there are 22 responses with missing values of times students were threatened by someone with a weapon on school property last year.

What types of bullying have you experienced in the past 12 months? Note: Respondents could select all that apply.

Table 24: What types of bullying have you experienced in the past 12 months?

	No	Yes	Total	No (%)	Yes (%)
Hit, kicked, punched, or people took	666	109	775	85.93	14.06
belongings					
Teased, taunted, or called harmful names	520	255	775	67.09	32.90
Spread mean rumors about or kept out of a group	579	196	775	74.70	25.29
Teased, taunted, or threatened by e-mail, cell phone, or other electronic methods	700	75	775	90.32	9.677
Nude or semi-nude pictures used to pressure someone to have sex that does not want to, blackmail, intimidate, or exploit another person	760	15	775	98.06	1.935
None of the above	329	446	775	42.45	57.54

Note that there are 22 responses with missing values of types of bullying have you experienced in the past 12 months?

Among those who have experienced bullying in the past 12 months: During the past 12 months, have you ever been bullied on school property?

Table 25: Bullied on school property last year

Response	n	Percent
No	83	25.3
Yes	245	74.7
Total	328	100.0

Note that there are 1 responses with missing values of bullied on school property last year.

Among those who have experienced bullying in the past 12 months: During the past 12 months, have you ever been electronically bullied?

Table 26: Electronically bullied last year

Response	11	Percent
No	224	68.71
Yes	102	31.29
Total	326	100.00

Note that there are 3 responses with missing values of electronically bullied last year.

During the past 12 months, how many times were you in a physical fight?

Table 27: Number of times in a physical fight last year

Response	n	Percent
0 times	593	75.83
1 time	105	13.43
2 to 5 times	73	9.34
6 or more times	11	1.41
Total	782	100.00

Note that there are 10 responses with missing values of number of times in a physical fight last year.

Among those who were in a physical fight in the past 12 months: During the past 12 months, how many times were you in a physical fight on school property?

Table 28: Number of times in a physical fight on school property during the past year

Response	n	Percent
0 times	81	43.55
1 time	74	39.78
2 to 5 times	28	15.05
6 or more times	3	1.61
Total	186	100.00

Note that there are 3 responses with missing values of number of times in a physical fight on school property during the past year.

5. School Connectedness and Success

During the past 12 months, how would you describe your grades in school?

Table 29: Academic performance last year

Response	n	Percent
Mostly A's	288	36.50
Mostly B's	280	35.49
Mostly C's	121	15.34
Mostly D's	36	4.56
Mostly F's	8	1.01
None of these grades	2	0.25
Not sure	54	6.84
Total	789	100.00

Note that there are 3 responses with missing values of academic performance last year.

I enjoy coming to school.

Table 30: Level of enjoyment in coming to school

Response	n	Percent
Strongly disagree	123	16.90
Disagree	74	10.16
Neutral	301	41.35
Agree	172	23.63
Strongly agree	58	7.97
Total	728	100.00

Note that there are 64 responses with missing values of level of enjoyment in coming to school.

I feel like I belong at my school.

Table 31: Level of belonging at school

Response	n	Percent
Strongly disagree	101	13.87
Disagree	80	10.99
Neutral	218	29.95
Agree	223	30.63
Strongly agree	106	14.56
Total	728	100.00

Note that there are 64 responses with missing values of level of belonging at school.

I can go to adults at my school for help if I needed it.

Table 32: Level of support from adults at school

Response	n	Percent
Strongly disagree	77	10.59
Disagree	64	8.80
Neutral	174	23.93
Agree	242	33.29
Strongly agree	170	23.38
Total	727	100.00

Note that there are 65 responses with missing values of level of support from adults at school.

My school provides various opportunities to learn about and appreciate different cultures and ways of life.

Table 33: Level of cultural opportunities available at school

Response	n	Percent
Strongly disagree	71	9.83
Disagree	78	10.80
Neutral	227	31.44
Agree	229	31.72
Strongly agree	117	16.20
Total	722	100.00

Note that there are 70 responses with missing values of level of cultural opportunities available at school.

6. Prevention Message

During the past 12 months, do you recall hearing, reading, or watching an advertisement about the prevention of substance use?

Table 34: Hearing, reading, or watching an advertisement about substance use prevention last year

Response	IJ	Percent
No	280	36.6
Yes	485	63.4
Total	765	100.0

Note that there are 27 responses with missing values of hearing, reading, or watching an advertisement about substance use prevention last year.

During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians, whether or not they live with you?

Table 35: Parents have discussed the dangers of substance use with you within the last year

Response	n	Percent
No	394	52.05
Yes	363	47.95
Total	757	100.00

Note that there are 35 responses with missing values of parents have discussed the dangers of substance use with you within the last year.

7. Vehicle Safety

During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

Table 36: Number of times in past 30 days rode in a car driven by someone who had been drinking

Response	n	Percent
0 times	677	85.91
1 time	35	4.44
2 or 3 times	43	5.46
4 or 5 times	7	0.89
6 or more times	26	3.30
Total	788	100.00

Note that there are 4 responses with missing values of number of times in past 30 days rode in a car driven by someone who had been drinking.

During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

Table 37: Number of times in past 30 days drove a car when drinking

Response	\mathbf{n}	Percent
I did not drive a car or other vehicle during the past 30 days	340	43.81
0 times	409	52.71
1 time	10	1.29
2 or 3 times	11	1.42
4 or 5 times	4	0.52
6 or more times	2	0.26
Total	776	100.00

Note that there are 16 responses with missing values of number of times in past 30 days drove a car when drinking.

Among those reporting they did drive a car or other vehicle in the past 30 days: During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

Table 38: Number of times in past 30 days texted or emailed while driving

Response	n	Percent
I did not drive a car or other vehicle during the past 30 days	0	0
0 days	2	8
1 or 2 days	3	12
3 to 5 days	1	4
6 to 9 days	2	8
10 to 19 days	0	0
20 to 29 days	2	8
All 30 days	15	60
Total	25	100

Note that there are 411 responses with missing values of number of times in past 30 days texted or emailed while driving.

C. Health and Well-being

1. Body Mass Index and Physical Activity

Body Mass Index (derived)

Table 39: Body Mass Index

Response	11	Percent
Underweight (Less than 5%)	17	2.27
Normal or Healthy Weight (5% to 84%)	411	54.95
Overweight (85% to 94%)	155	20.72
Obese (95% and above)	165	22.06
Total	748	100.00

Note that there are 44 responses with missing values of body mass index.

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

Table 40: Number of days of physical activity of 60 plus minutes per day in the last week

Response	n	Percent
0 days	98	13.15
1 day	41	5.50
2 days	56	7.52
3 days	64	8.59
4 days	103	13.83
5 days	110	14.77
6 days	49	6.58
7 days	224	30.07
Total	745	100.00

Note that there are 47 responses with missing values of number of days of physical activity of 60 plus minutes per day in the last week.

Which of the following are you trying to do about your weight?

Table 41: Efforts to change weight

Response	n	Percent
Lose weight	382	51.62
Gain weight	87	11.76
Stay the same weight	124	16.76
I am not trying to do anything about my weight	147	19.86
Total	740	100.00

Note that there are 52 responses with missing values of efforts to change weight.

On an average school day, how many hours do you watch TV?

Table 42: Number of hours of TV watched on an average school day

Response	n	Percent
I do not watch TV on an average school day	164	22.10
Less than 1 hour per day	145	19.54
1 hour per day	88	11.86
2 hours per day	152	20.49
3 hours per day	105	14.15
4 hours per day	43	5.80
5 or more hours per day	45	6.06
Total	742	100.00

Note that there are 50 responses with missing values of number of hours of TV watched on an average school day.

On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?

Table 43: Number of hours playing video or computer games or using a computer for something that is not school work on an average school day

Response	n	Percent
I do not play video or computer	114	15.32
games or use a computer for		
something that is not school work		
Less than 1 hour per day	84	11.29
1 hour per day	65	8.74
2 hours per day	101	13.58
3 hours per day	119	15.99
4 hours per day	72	9.68
5 or more hours per day	189	25.40
Total	744	100.00

Note that there are 48 responses with missing values of number of hours played video or computer games or used a computer for something that is not school work on an average school day.

2. Nutrition

On average how many servings of fruits and vegetables do you have per day?

Table 44: Number of servings of fruits and vegetables eaten on an average day

Response	n	Percent
1 to 4 servings per day	547	74.22
5 or more servings per day	83	11.26
0 - I do not like fruits or vegetables	69	9.36
0 - I cannot afford fruits or vegetables	13	1.76
0 - I do not have access to fruits or vegetables	25	3.39
Total	737	100.00

Note that there are 55 responses with missing values of number of servings of fruits and vegetables eaten on an average day.

During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?

Table 45: Number of times drank soda or pop in the last week

Response	n	Percent
I did not drink soda or pop during the past 7 days	144	19.59
1 to 3 times during the past 7 days	294	40.00
4 to 6 times during the past 7 days	97	13.20
1 time per day	77	10.48
2 times per day	47	6.39
3 times per day	28	3.81
4 or more times per day	48	6.53
Total	735	100.00

Note that there are 57 responses with missing values of number of times drank soda or pop in the last week.

During the past 7 days, on how many days did you eat breakfast?

Table 46: Number of days ate breakfast during the last week

Response	n	Percent
0 days	110	14.88
1 day	52	7.04
2 days	83	11.23
$3 \mathrm{days}$	65	8.80
4 days	69	9.34
5 days	74	10.01
6 days	50	6.77
7 days	236	31.94
Total	739	100.00

Note that there are 53 responses with missing values of number of days ate breakfast during the last week.

3. Wellness Visit

When was the last time you saw a doctor or a nurse for a check-up when you were not sick or injured?

Table 47: Recency of visiting doctor or a nurse for a check-up when you were not sick or injured

Response	n	Percent
During the past 12 months	332	45.17
Between 12 and 24 months	70	9.52
More than 24 months	42	5.71
Never	78	10.61
Not sure	213	28.98
Total	735	100.00

Note that there are 57 responses with missing values of recency of visiting doctor or a nurse for a check-up when you were not sick or injured.

When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

Table 48: Recency of last visit to dentist for a check-up, exam, teeth cleaning, or other dental work

Response	n	Percent
During the past 12 months	443	60.68
Between 12 and 24 months	90	12.33
More than 24 months	42	5.75
Never	31	4.25
Not sure	124	16.99
Total	730	100.00

Note that there are 62 responses with missing values of recency of last visit to dentist for a check-up, exam, teeth cleaning, or other dental work.

4. Concussion

During the past 12 months, did you suffer a blow or jolt to your head while playing with a sports team (either during a game or during practice) which caused you to get knocked out, have memory problems, double or blurry vision, headaches or pressure in the head, or nausea or vomiting?

Table 49: Suffered a head injury while playing with a sports team in the last year

Response	n	Percent
No	621	85.3
Yes	107	14.7
Total	728	100.0

Note that there are 64 responses with missing values of suffered a head injury while playing with a sports team in the last year.

5. Tanning

During the past 12 months, how many times did you use an indoor tanning device such as sunlamp, sunbed or tanning booth?

Table 50: Number of times used an indoor tanning device in the last 12 months

Response	n	Percent
0 times	664	91.59
1 time	18	2.48
2 to 5 times	22	3.03
6 or more times	21	2.90
Total	725	100.00

Note that there are 67 responses with missing values of number of times used an indoor tanning device in the last 12 months.

6. Sleep

On an average school night, how many hours of sleep do you get?

Table 51: Number of hours of sleep on average school night

Response	n	Percent
4 hours or less	89	11.37
5 hours	100	12.77
6 hours	167	21.33
7 hours	185	23.63
8 hours	172	21.97
9 hours	52	6.64
10 or more hours	18	2.30
Total	783	100.00

Note that there are 9 responses with missing values of number of hours of sleep on average school night.

D. Mental Health

1. Patient Health Questionnaire for Psychological Distress

The Patient Health Questionnaire - 4 (PHQ-4)

Subscales are used to assess anxiety and depression. Participants answer two questions on anxiety and two questions on depression with responses that range from "Not at all" to "Nearly every day." To create the subscales, each response is given a numerical value and the participant's responses for the two questions are summed up. A score of three or greater is considered positive for screening purposes.

Table 52: Anxiety and Depression Subscales

	Anxiety		Dep	oression
Subscale	n	Percent	n	Percent
Score less than 3	574	73.31	607	77.62
Score greater than 3	209	26.69	175	22.38
Total	783	100.00	782	100.00

Note that there are 9 responses with missing values of anxiety scores and 10 responses with missing values of depression scores.

Patient Health Questionnaire-4 (PHQ-4) Psychological Distress Score

Responses from the two questions on anxiety and the two questions on depression are assigned values and combined for each participant (score range, 0 to 12). For screening purposes, a score of 0-2 is considered no distress, a score of 3-5 is considered mild distress, a score of 6-8 is considered moderate distress, and a score of 9-12 is considered severe distress.

Table 53: Patient Health Questionnaire-4 (PHQ-4) Psychological Distress Score

Response	n	Percent
No Distress (Score of 0-2)	436	55.61
Mild Distress (Score of 3-5)	172	21.94
Moderate Distress (Score of 6-8)	105	13.39
Severe Distress (Score of 9-12)	71	9.06
Total	784	100.00

Note that there are 8 responses with missing values of Patient Health Questionnaire psychological distress: positive sub-scale score.

2. Suicide

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

Table 54: In the past year felt sad or hopeless almost every day for two weeks or more in a row

Sad	n	Percent
No	527	68.71
Yes	240	31.29
Total	767	100.00

Note that there are 25 responses with missing values of felt sad or hopeless almost every day for two weeks or more in a row in the past year.

During the past 12 months, did you ever seriously consider attempting suicide?

Table 55: During the past year seriously considered attempting suicide

Response	n	Percent
No	0	
Yes	0	
Total	0	

Note that there are 792 responses with missing values of considered attempting suicide.

Among those who have seriously considered attempting suicide in the past 12 months: During the past 12 months, how many times did you actually attempt suicide?

Table 56: Number of times attempted suicide during the past year

Response	n	Percent
0 times	0	
1 time	0	
2 or 3 times	0	
4or 5 times	0	
6 or more times	0	
Total	0	

Note that there are 0 responses with missing values of suicide attempts.

Among those who attempted suicide in the past 12 months: If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?

Table 57: Attempted suicide that resulted in injury, poisoning, or overdose that had to be treated

Response	\mathbf{n}	Percent
No	0	
Yes	0	
Total	0	

Note that there are 0 responses with missing values of attempted suicide that resulted in injury, poisoning, or overdose that had to be treated.

3. Coping Strategies

When you are stressed out, how do you manage it? Note: Respondents could select all that apply.

Table 58: When you are stressed out, how do you manage it?

	No	Yes	Total	No (%)	Yes (%)
I do not have any stress	651	123	774	84.10	15.89
Manage stress through physical activity	446	328	774	57.62	42.37
Manage stress through meditation, prayer, or relaxation	663	111	774	85.65	14.34
Manage stress by participating in hobbies or community service	618	156	774	79.84	20.15
Manage stress through creative expression	545	229	774	70.41	29.58
Manage stress with support from others	583	191	774	75.32	24.67
Manage stress by avoiding people who create drama	400	374	774	51.67	48.32
Manage stress by limiting social media	661	113	774	85.40	14.59

Note that there are 0 responses with missing values of how stress is managed among students.

When was the last time you saw a doctor, nurse, therapist, social worker, or counselor for a mental health problem?

Table 59: Last time saw a health care provider for a mental health problem

Response	n	Percent
During the past 12 months	185	23.78
Between 12 and 24 months	37	4.76
More than 24 months	40	5.14
Never	344	44.22
Not sure	172	22.11
Total	778	100.00

Note that there are 14 responses with missing values of last time students saw a health care provider for a mental health problem.

E. Substance Use

1. Alcohol

How old were you when you had your first drink of alcohol other than a few sips?

Table 60: Age when first drunk more than few sips of alcohol

Response	n	Percent
I have never had a drink of alcohol	437	58.82
other than a few sips		
8 years old or younger	53	7.13
9 or 10 years old	41	5.52
11 or 12 years old	54	7.27
13 or 14 years old	73	9.83
15 or 16 years old	59	7.94
17 years old or older	26	3.50
Total	743	100.00

Note that there are 49 responses with missing values of age first drunk alcohol.

Among those who have drunk alcohol: How old were you when you had your first drink of alcohol other than a few sips?

Table 61: Age when first drunk more than few sips of alcohol

Response	n	Percent
8 years old or younger	53	17.32
9 or 10 years old	41	13.40
11 or 12 years old	54	17.65
13 or 14 years old	73	23.86
15 or 16 years old	59	19.28
17 years old or older	26	8.50
Total	306	100.00

Note that there are 0 responses with missing values of age first drunk alcohol.

During the past 30 days, did you drink one or more drinks of an alcoholic beverage?

Table 62: Consumed alcohol on one or more occasions during the past 30 days

Response	n	Percent
I have never had a drink of alcohol	437	58.97
other than a few sips		
No	181	24.43
Yes	123	16.60
Total	741	100.00

Note that there are 51 responses with missing values of consumed alcohol on one or more occasions during the past 30 days.

Among those who have ever consumed alcohol: During the past 30 days, did you drink one or more drinks of an alcoholic beverage?

Table 63: Consumed alcohol on one or more occasions during the past 30 days

Response	n	Percent
No	181	59.54
Yes	123	40.46
Total	304	100.00

Note that there are 2 responses with missing values of consumed alcohol on one or more occasions during the past 30 days.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, on how many days did you have at least one drink of alcohol?

Table 64: Number of days consumed at least one drink of alcohol

Response	n	Percent
1 or 2 days	64	66.67
10 to 19 days	9	9.38
20 to 29 days	1	1.04
3 to 5 days	15	15.62
6 to 9 days	5	5.21
All 30 days	2	2.08
Total	96	100.00

Note that there are 27 responses with missing values of number of days consumed at least one drink of alcohol.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

Table 65: Number of days with 5 or more drinks of alcohol within a couple of hours

Response	n	Percent
0 days	50	49.02
1 day	25	24.51
2 days	14	13.73
3 to 5 days	8	7.84
6 to 9 days	3	2.94
10 to 19 days	1	0.98
20 or more days	1	0.98
Total	102	100.00

Note that there are 21 responses with missing values of number of days with 5 or more drinks of alcohol within a couple of hours.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, how did you usually get your alcohol? Note: Respondents could select all that apply.

Table 66: How alcohol was obtained in the past 30 days?

	No	Yes	Total	No (%)	Yes (%)
Bought alcohol in a store	110	12	122	90.16	9.836
Bought alcohol at a public event	117	5	122	95.90	4.098
Gave someone else money to buy alcohol for me	92	30	122	75.40	24.59
Someone gave alcohol to me	65	57	122	53.27	46.72
Took alcohol from a store or family member	108	14	122	88.52	11.47
Parent gave alcohol to me	90	32	122	73.77	26.22
Friend's parent gave alcohol to me	109	13	122	89.34	10.65
I got alcohol some other way	95	27	122	77.86	22.13

Note that there are 1 responses with missing values of how alcohol was obtained in the past 30 days.

Among those who have consumed alcohol in the past 30 days: When do you usually drink alcohol?

Table 67: Time of day when usually drink

Response	n	Percent
Before school	1	0.85
During school	1	0.85
After school	9	7.63
Week nights	6	5.08
Weekends	101	85.59
Total	118	100.00

Note that there are 5 responses with missing values of time of day when usually drink.

2. Tobacco and Vapor Products

During the past 30 days, did you smoke part or all of a cigarette?

Table 68: Smoked part or all of a cigarette in the past 30 days

Response	n	Percent
No	685	88.96
Yes	85	11.04
Total	770	100.00

Note that there are 22 responses with missing values of smoke part or all of a cigarette in 30 days.

Among those who smoked all or part of a cigarettes in the past 30 days: During the past 30 days, on how many days did you smoke cigarettes?

Table 69: Number of days smoked cigarettes in the past 30 days

Response	n	Percent
1 or 2 days	23	29.49
3 to 5 days	6	7.69
6 to 9 days	8	10.26
10 to 19 days	9	11.54
20 to 29 days	9	11.54
All 30 days	23	29.49
Total	78	100.00

Note that there are 7 responses with missing values of number of smoke in past 30 days.

Among those who smoked all or part of a cigarettes in the past 30 days: During the past 30 days, how did you usually get your own cigarettes? Note: Respondent could select all that apply.

Table 70: How cigarettes were obtained in the past 30 days

	No	Yes	Total	No (%)	Yes (%)
Bought them in a store such as a convenience store, supermarket,	53	31	84	63.09	36.90
discount store, or gas station					
Got cigarettes from the Internet	83	1	84	98.80	1.190
Bought cigarettes from vending machine	83	1	84	98.80	1.190
Gave someone else money to buy cigarettes	60	24	84	71.42	28.57
Borrowed (bummed) cigarettes from someone else	46	38	84	54.76	45.23
A person 18 years old or older gave them to me	59	25	84	70.23	29.76
Took cigarettes from a store	83	1	84	98.80	1.190
Took cigarettes from family member	65	19	84	77.38	22.61
Got cigarettes some other way	72	12	84	85.71	14.28

Note that there are 1 responses with missing values of ways cigarettes were obtained (past 30 days).

During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal Bandits, or Copenhagen?

Table 71: Number of days used chewing tobacco, snuff, or dip in the past 30 days

Response	n	Percent
0 days	685	88.73
1 or 2 days	25	3.24
3 to 5 days	9	1.17
6 to 9 days	7	0.91
10 to 19 days	5	0.65
20 to 29 days	8	1.04
All 30 days	33	4.27
Total	772	100.00

Note that there are 20 responses with missing values of number of days used chewing tobacco, snuff, or dip in the past 30 days.

During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

Table 72: Number of days smoked cigars, cigarillos, or little cigars in the past 30 days

Response	n	Percent
0 days	713	92.36
1 or 2 days	27	3.50
3 to 5 days	8	1.04
6 to 9 days	15	1.94
10 to 19 days	3	0.39
20 to 29 days	1	0.13
All 30 days	5	0.65
Total	772	100.00

Note that there are 20 responses with missing values of number of days smoked cigars, cigarillos, or little cigars in the past 30 days.

During the past 30 days, on how many days did you use an electronic vapor product?

Table 73: Number of days used an electronic vapor product of the past 30 days

Response	n	Percent
0 days	674	87.53
1 or 2 days	41	5.32
3 to 5 days	16	2.08
6 to 9 days	15	1.95
10 to 19 days	12	1.56
20 to 29 days	3	0.39
All 30 days	9	1.17
Total	770	100.00

Note that there are 22 responses with missing values of number of days used an electronic vapor product of the past 30 days.

How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

Table 74: Perceived risk tobacco use one or more packs daily

Response	n	Percent
No risk	110	14.61
Slight risk	109	14.48
Moderate risk	205	27.22
Great risk	329	43.69
Total	753	100.00

Note that there are 39 responses with missing values of perceived risk tobacco use one or more packs daily.

How wrong do your parents feel it would be for you to smoke tobacco?

Table 75: Perception of parental disapproval for smoking tobacco

Response	\mathbf{n}	Percent
Not at all wrong	48	6.4
A little bit wrong	51	6.8
Wrong	117	15.6
Very wrong	534	71.2
Total	750	100.0

Note that there are 42 responses with missing values of perception of parental disapproval for smoking tobacco.

How wrong do your friends feel it would be for you to smoke tobacco?

Table 76: Perception of peer disapproval for smoking to bacco

Response	n	Percent
Not at all wrong	136	18.26
A little bit wrong	99	13.29
Wrong	207	27.79
Very wrong	303	40.67
Total	745	100.00

Note that there are 47 responses with missing values of perception of peer disapproval for smoking tobacco.

3. Prescription Drugs

During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

Table 77: In lifetime, number of times taken a prescription drug without a doctor's prescription

Response	n	Percent
0 times	689	90.78
1 or 2 times	36	4.74
3 to 9 times	19	2.50
10 to 19 times	6	0.79
20 to 39 times	2	0.26
40 or more times	7	0.92
Total	759	100.00

Note that there are 33 responses with missing values of number of times taken a prescription drug without a doctor's prescription in lifetime.

During the past 30 days, have you used prescription drugs not prescribed to you?

Table 78: Any past 30-day use prescription drug misuse/abuse

Response	n	Percent
0 times	689	90.78
No	52	6.85
Yes	18	2.37
Total	759	100.00

Note that there are 33 responses with missing values of past 30-day misuse/abuse of prescription drug.

Among those who have taken a prescription drug without a doctor's prescription: During the past 30 days, have you used prescription drugs not prescribed to you?

Table 79: Any past 30-day use prescription drug misuse/abuse

Response	n	Percent
No	52	74.29
Yes	18	25.71
Total	70	100.00

Note that there are 0 responses with missing values of past 30-day misuse/abuse of prescription drug.

Among those who have used a prescription drug not prescribed in the past 30 days: During the past 30 days, have you used prescription pain relievers or pain killers such as Vicodin, Percocet, OxyContin, Lortabs, or Codeine (also called Oxy, OxyContin, OS, Norco or Vikes) that were not prescribed to you?

Table 80: Any past 30 day use of prescription pain relievers or pain killers not prescribed to you

Response	n	Percent
No	7	38.89
Yes	11	61.11
Total	18	100.00

Note that there are 0 responses with missing values of past 30 day use of prescription pain relievers or pain killers not prescribed to you.

Among those who have used a prescription drug not prescribed in the past 30 days: What type of prescription drug do you usually take without a doctor's prescription?

Table 81: Type of prescription drug usually misused

Response	n	Percent
Narcotic pain relievers, such as	5	27.78
OxyContin, Percocet, Vicodin, or		
Lortabs		
Tranquilizers or anti-anxiety drugs	2	11.11
such as Xanax, or Valium		
Sleeping pills, sedatives and other	2	11.11
depressants such as Ambien, or		
phenobarbital		
Stimulants or amphetamines such as	0	0.00
Ritalin (also called Vitamin R or		
Study Drug)		
I take multiple types of prescription	2	11.11
drugs at the same time		
Not sure	5	27.78
Total	18	100.00

Note that there are 0 responses with missing values of prescription type.

Among those who have used a prescription drug not prescribed in the past 30 days: When do you usually use prescription drugs not prescribed to you?

Table 82: Time of day when usually misuse prescription drugs

Response	n	Percent
Do not use	0	0.00
Before school	2	16.67
During school	0	0.00
After school	3	25.00
Week nights	2	16.67
Weekends	5	41.67
Total	12	100.00

Note that there are 6 responses with missing values of when prescription drugs not prescribed were used.

How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

Table 83: Perceived risk/harm for prescription drugs

Response	n	Percent
No risk	86	11.50
Slight risk	85	11.36
Moderate risk	221	29.55
Great risk	356	47.59
Total	748	100.00

Note that there are 44 responses with missing values of perceived risk/harm for prescription drugs.

How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?

Table 84: Perception of parental disapproval for prescription drug misuse/abuse

Response	n	Percent
Not at all wrong	27	3.62
A little bit wrong	39	5.23
Wrong	100	13.42
Very wrong	579	77.72
Total	745	100.00

Note that there are 47 responses with missing values of perception of parental disapproval for prescription drug misuse/abuse.

How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?

Table 85: Perception of peer disapproval for prescription drugs

Response	n	Percent
Not at all wrong	69	9.26
A little bit wrong	64	8.59
Wrong	187	25.10
Very wrong	425	57.05
Total	745	100.00

Note that there are 47 responses with missing values of perception of peer disapproval for prescription drugs.

4. Over-the-Counter Medications

During your life, how many times have you taken over-the-counter medications such as cold medicine, allergy medicine, or pain reliever to get high?

Table 86: In lifetime, number of times taken over the counter medication to get high

Response	n	Percent
0 times	696	91.10
1 or 2 times	23	3.01
3 to 9 times	11	1.44
10 to 19 times	16	2.09
20 to 39 times	6	0.79
40 or more times	12	1.57
Total	764	100.00

Note that there are 28 responses with missing values of over the counter medication taken to get high one or more times in lifetime.

5. Marijuana

How old were you when you tried marijuana for the first time?

Table 87: Age when first tried marijuana

Response	n	Percent
I have never tried marijuana	623	81.87
8 years old or younger	6	0.79
9 or 10 years old	12	1.58
11 or 12 years old	23	3.02
13 or 14 years old	52	6.83
15 or 16 years old	32	4.20
17 years old or older	13	1.71
Total	761	100.00

Note that there are 31 responses with missing values of age when marijuana was first used.

Among those who have tried marijuana: How old were you when you tried marijuana for the first time?

Table 88: Age when first tried marijuana

10000 001 1160 1111011 11100	OL LOCA	TITOTI J CECOTICE
Response	n	Percent
8 years old or younger	6	4.35
9 or 10 years old	12	8.70
11 or 12 years old	23	16.67
13 or 14 years old	52	37.68
15 or 16 years old	32	23.19
17 years old or older	13	9.42
Total	138	100.00

Note that there are 0 responses with missing values of age when marijuana was first used.

During the past 30 days, have you used marijuana or hashish?

Table 89: Used marijuana or hashish during the past 30 days

Response	n	Percent
I have never tried marijuana	623	81.87
No	85	11.17
Yes	53	6.96
Total	761	100.00

Note that there are 31 responses with missing values of used marijuana or hashish during the past 30 days.

Among those who have tried marijuana: During the past 30 days, have you used marijuana or hashish?

Table 90: Used marijuana or hashish during the past 30 days

Response	n	Percent
No	85	61.59
Yes	53	38.41
Total	138	100.00

Note that there are 0 responses with missing values of used marijuana or hashish during the past 30 days.

Among those who have used marijuana in the past 30 days: During the past 30 days, how many times did you use marijuana?

Table 91: Number of times used marijuana in the past 30 days

Response	n	Percent
1 or 2 times	17	33.33
3 to 9 times	7	13.73
10 to 19 times	10	19.61
20 to 39 times	4	7.84
40 or more times	13	25.49
Total	51	100.00

Note that there are 2 responses with missing values of number of times used marijuana in the past 30 days.

Among those who have used marijuana in the past 30 days: During the past 30 days, how did you usually use marijuana?

Table 92: Usual method of using marijuana

Response	n	Percent
I smoked it in a joint, bong, pipe, or blunt	50	94.34
I ate it in food such as brownies, cakes, cookies, or candy	2	3.77
I drank it in tea, cola, alcohol, or other drinks	0	0.00
I vaporized it	0	0.00
I used it some other way	1	1.89
Total	53	100.00

Note that there are 0 responses with missing values of usual method of using marijuana.

Among those who have used marijuana in the past 30 days: When do you usually use marijuana?

Table 93: Time of day when usually use marijuana

Response	n	Percent
Before school	4	7.84
During school	0	0.00
After school	7	13.73
Week nights	9	17.65
Weekends	31	60.78
Total	51	100.00

Note that there are 2 responses with missing values of time of day when usually use marijuana.

6. Illicit Drugs

During the past 12 months, has anyone offered, sold, or given you an illegal drug at any of the following places? Note: Respondent could select all that apply

Table 94: Illegal drugs solicitation in the past 12 months

	No	Yes	Total	No (%)	Yes (%)
On school property	728	19	747	97.45	2.543
On the school bus	739	8	747	98.92	1.070
At a friend's house	715	32	747	95.71	4.283
In my neighborhood	718	29	747	96.11	3.882
At none of these locations	57	690	747	7.630	92.36

Note that there are 2 responses with missing values of places of illegal drugs solicitation in the past 12 months.

F. Gambling

During the past 12 months, how often did you gamble money or personal items such as while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet?

Table 95: Frequency gambled money or personal items in the past 12 months

Response	n	Percent
I did not gamble money or personal	610	85.79
items during the past 12 months		
Less than once a month	46	6.47
About once a month	21	2.95
About once a week	19	2.67
Daily	15	2.11
Total	711	100.00

Note that there are 81 responses with missing values of frequency gambled money or personal items in the past 12 months.

Among those who have gambled in the past 12 months: During the past 12 months, how often did you gamble money or personal items such as while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet?

Table 96: Frequency gambled money or personal items in the past 12 months

Response	n	Percent
I did not gamble money or personal items during the past 12 months	0	0.00
Less than once a month	46	45.54
About once a month	21	20.79
About once a week	19	18.81
Daily	15	14.85
Total	101	100.00

Note that there are 0 responses with missing values of frequency gambled money or personal items in the past 12 months.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever gambled more than you planned to?

Table 97: Gambled more than planned in the last 12 months

Response	n	Percent
No	72	71.29
Yes	29	28.71
Total	101	100.00

Note that there are 0 responses with missing values of gambled more than planned in the last 12 months.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever felt bad about the amount you bet, or about what happens when you bet money?

Table 98: Felt bad about the amount bet or about what happens when betting in the last 12 months

Response	n	Percent
No	80	80
Yes	20	20
Total	100	100

Note that there are 1 responses with missing values of felt bad about the amount bet or about what happens when betting in the last 12 months.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever hidden from family or friends any betting slips, I.O.U.s, lottery tickets, money that you have won, or other signs of gambling?

Table 99: Hidden from family or friends signs of gambling in the last 12 months

n	Percent
78	78.79
21	21.21
99	100.00
	78 21

Note that there are 2 responses with missing values of hidden from family or friends signs of gambling in the last 12 months.

Among those who have gambled in the past 12 months: Have you ever lied to people important to you about how much you gamble?

Table 100: Lied to important people about gambling

Response	n	Percent
No	54	73.97
Yes	19	26.03
Total	73	100.00

Note that there are 28 responses with missing values of lied to important people about gambling.

G. Sexual Health

1. Sexual Behavior

Have you ever had sexual intercourse?

This module was not completed.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?

This module was not completed.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, did you or your partner use a condom?

Among those who reported ever having sexual intercourse: During the past 3 months, with how many people did you have sexual intercourse?

This module was not completed.

Among those who reported ever having sexual intercourse: Did you drink alcohol or use drugs before you had sexual intercourse the last time?

G. Sexual Health

1. Sexual Behavior

Have you ever had sexual intercourse?

This module was not completed.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?

This module was not completed.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, did you or your partner use a condom?

Among those who reported ever having sexual intercourse: During the past 3 months, with how many people did you have sexual intercourse?

This module was not completed.

Among those who reported ever having sexual intercourse: Did you drink alcohol or use drugs before you had sexual intercourse the last time?